

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 15]

NEW DELHI, SATURDAY, APRIL 21, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 24th March, 1956

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
STATES PART (A) AND PART (C)							Assam—contd.						
Ajmer							(Estd. mid-year pop. 98,17 thousands.)						
TOTAL	Total for w/e 17-3-56	1	2
(Estd. mid-year pop. 752 thousands.)							Total for w/e 10-3-56	10	1
Total for w/e 19-3-56	7-yearly mean for the week	7	2
Total for w/e 10-3-56	Bhopal						
7-yearly mean for the week	10	7	"N.R."						
Andhra							Bihar						
Srikakulam	16	1	"N. R."						
Visakhapatnam	13	1	Bombay						
Godavari East.	99	23	"N. R."						
Godavari West	23	5	Coorg						
Krishna	67	8	TOTAL
Guntur	78	13	(Estd. mid-year pop. 262 thousands.)						
Nellore	..	1	12	2	Total for w/e 17-3-56
Kurnool	..	158	92	4	3	..	Total for w/e 10-3-56
Cuddapah	..	25	7	7-yearly mean for the week
Anantapur	..	13	3	23	4	..	Delhi						
Chittoor	3	Delhi City	11
TOTAL	197	103	338	60	New Delhi	4
(Estd. mid-year pop. 21,238 thousands.)							Delhi Notified Area	10
Total for w/e 17-3-56	807	102	239	43	4	4	TOTAL	15	10
Total for w/e 10-3-56	153	55	227	38	6	..	Explanation of symbols used; C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received						
7-yearly mean for the week	85	42	562	101							
Assam													
Samrup	1	2							
TOTAL	1	2							

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 24th March, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Delhi—<i>contd.</i>							Orissa						
(Estd. mid-year pop. 1744 thousands.)							Cuttack						
Total for w/e 17-3-56							Balasore						
Total for w/e 10-3-56							Puri						
7-yearly mean for the week							Sambalpur						
							Koraput						
Himachal Pradesh							Dhenkanal						
Mahasu							Bolangir Patna						
TOTAL							Sundergarh						
(Estd. mid-year pop. 1003 thousands.)							Kalahandi						
Total for w/e 17-3-56							TOTAL						
Total for w/e 10-3-56							Estd. mid-year pop. 15,114 thousands.)						
Madhya Pradesh							Total for w/e 17-3-56						
"N. R."							Total for w/e 10-3-56						
Madras							7-yearly mean for the week						
Madras Town							Punjab (I)						
Chingleput							Hissar						
North Arcot							Rohtak						
South Arcot							Karnal						
Tiruchirappalli							Ambala						
Ramnathapuram							Jullundur						
Tirunelveli							Ferozepur						
Malabar							TOTAL						
TOTAL							(Estd. mid-year pop. 12,641 thousands.)						
(Estd. mid-year pop. 38,273 thousands.)							Total for w/e 17-3-56						
Total for w/e 17-3-56							Total for w/e 10-3-56						
Total for w/e 10-3-56							7-yearly mean for the week						
7-yearly mean for the week							Tripura						
Manipur							TOTAL						
TOTAL							(Estd. mid-year pop. 706 thousands.)						
(Estd. mid-year pop. 613 thousands.)							Total for w/e 17-3-56						
Total for w/e 17-3-56							Total for w/e 10-3-56						
Total for w/e 10-3-56													

Explanation of symbols used : C.=Cases ; D.=Deaths ; ..=Nil ; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 24th March, 1956—*contd.*

CHOLERA							SMALLPOX							PLAGUE																			
C.							D.							C.							D.												
Pondicherry														West Bengal—contd,																			
TOTAL							33	21	Malda							2	1								
Uttar Pradesh														West Dinajpur														1
Dehra Dun.							4	3	Jalpaiguri							2							
Mathura							2	1	Darjeeling							1	1						
Mainpuri							1	2	Cooch Bihar							1						
Pilibhit							2	TOTAL							..	95	48	76	34						
Etawah							2	3	(Estd. mid-year pop. 26,396 thousands.)																			
Allahabad							1	1	Total for w/e 17-3-56							54	30	62	22							
Jhansi							7	1	Total for w/e 10-3-56							32	14	40	16							
Ghazipur							1	7-yearly mean for the week							..	406	170	281	96						
Kheri							1	1	Grand Total for States Parts (A) & (C) (excluding Bhopal, Bihar, Bombay, Madhya Pradesh & Vindhya Pradesh)							299	618	160							
Gonda							1	Corresponding (Estd. mid-year pop. 1,95,339 thousands).																			
Bahraich							1	" Total for w/e 17-3-56.							364	134	515	132	4	4							
Rampur							" Total for w/e 10-3-56.							190	73	315	112	8	..							
Tehri Garhwal							5	" 7-yearly mean for the week							..	676	308	1,546	337	166	18						
TOTAL							28	12																				
(Estd. mid-year pop. 66,780 thousands.)																																	
Total for w/e 17-3-56							32	7																					
Total for w/e 10-3-56							35	10	2	..																					
7-yearly mean for the week							23	10	171	38	166	18																			
Vindhya Pradesh														STATES PART (B)																			
"N.R."														Hyderabad																			
West Bengal														Aurangabad														1
Burdwan							7	4	3	2	Mahbubnagar							..	5	3					
Bankura							4	1	2	Hyderabad							2	1						
Midnapur.							21	6	12	2	Khammam							1	4					
Hooghly							7	4	22	8	TOTAL							..	5	3	4	5					
Howrah							11	9	4	3																			
24-Parganas							17	10	5	2	Jammu and Kashmir																		
Calcutta							16	7	15	9	"N. R."																		
Nadia							12	7	Madhya Bharat																		
Murshidabad							7	5	"N. R."																			

Explanation of symbols used : C.—Cases ; D.—Deaths ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 24th March, 1956—*concl'd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Mysore								Madhya Pradesh—concl'd.							
Hassan	2	Hoshangabad	3	1	41	1
Kolar	22	7	..	Balaghat	16	5
Mysore	3	Raipur	5
Bellary	..	11	1	1	Bilaspur	7	1
Chitaldrug	7	Durg	5
Chikmagalur	10	Amravati	10	1
TOTAL	11	1	23	..	22	7	..	Akola	56	11
Patiala and East Punjab States Union								Buldana	26	8
TOTAL	2	Wardha	7
Rajasthan								Raigarh	..	4	2
"N. R."								Ycotmal	4
Saurashtra								TOTAL	7	3	434	49
Gohilwad	5	w/c 10-3-56							
Halar	6	1	Nagpur	61	2
Zalawad	1	Chanda	11
TOTAL	12	1	Chhindwara	14	6
Travancore-Cochin								Betul	44	10
TOTAL	12	5	Bhandara	33	4
Grand Total for States								Sagar	15	2
Part (B)	16	4	53	11	22	7	..	Mandla	6
Grand Total for States								Hoshangabad	17	2
Parts (A), (B) and (C)	315	158	671	171	22	7	..	Balaghat	38	10
ARREAR INFORMATION															
Madhya Pradesh								Raipur	16
w/c 17-3-56								Durg	2
Nagpur	60	8	Akola	76	5
Chanda	28	Buldana	18
Chhindwara	26	3	Bilaspur	7	2
Betul	57	6	Ycotmal	9
Bhandara	32	TOTAL	367	43
Jabalpur	2	Travancore Cochin							
Sagar	35	3	w/c 17-3-56							
Mandla	17	2	TOTAL	12	4

Explanation of Symbols used : C. = Cases; D. = Deaths; .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 24th March, 1956—concl'd.

CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
Madhya Bharat							Jammu and Kashmir					
w/e 10-3-56							w/e 17-3-56					
TOTAL	39	3						
w/e 17-3-56						TOTAL	21	..		
TOTAL	20	11						
Rajasthan						POLIOMYELITIS						
w/e 10-3-56						Place	Period		Cases			
TOTAL	164	38	Uttar Pradesh	1—15 March, 56		1 (Paretic)		
w/e 3-3-56								16—29 Feb. 56		3 („)		
TOTAL	96	20	Greater Bombay	4—17 March, 1956		1		

Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil. "N. R." Information not received.

NEW DELHI-2 (INDIA); }
The 16th April, 1956. }

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 8,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 24th March, 1956

Town	Mid-year Popn. Est. (000)	B.	Deaths from 1—										D.R.*	I.L.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
STATES—(Parts A and C)														
Ajmer														
Ajmer	223	93	21.7	5	1	7	..	27	6.3	5	
Beawar	59	9	7.9	1	1	5	1	10	8.8	2	
TOTAL	282	102	18.8	6	2	12	1	37	6.8	7	
Andhra														
Adoni	63	56	46.2	1	1	..	14	11.6	2	
Anantpur	38	21	28.7	1	1	8	10.9	2	
Anakapalli	46	22	24.9	3	1	..	1	14	15.8	1	
Bhimavaram	36	19	27.4	2	1	7	10.1	1	
Chirala	43	23	27.8	3	8	9.7	1	
Chittoor†														
Cuddapah	42	32	39.6	1	6	4	1	23	28.5	4	
Eluru	99	57	29.9	8	..	1	1	22	11.6	..	
Gudivada	36	22	31.8	2	..	1	..	3	4.3	..	
Guntur	147	135	47.8	..	1	..	6	1	7	..	40	14.2	11	
Guntakal	37	19	26.7	1	..	4	1	14	19.7	3	
Kakinada†														
Kurnool	68	53	40.5	..	1	..	1	1	2	..	24	18.4	6	
Masulipatnam	88	61	36.1	2	..	2	..	30	17.7	6	
Nandyal	37	17	23.9	2	1	4	5.6	..	
Nellore	95	92	50.3	3	4	4	1	35	19.1	7	
Proddatur†														
Rajahmundry	122	89	37.9	8	1	1	..	37	15.8	8	
Tenali	67	57	44.2	1	2	..	13	10.1	6	
Vijayawada†														
Visakhapatnam	128	59	24.0	5	..	13	..	44	17.9	15	
Vizianagaram	75	37	25.6	5	1	2	..	18	12.5	5	
TOTAL	1,267	871	35.7	..	2	..	52	19	45	6	358	14.7	78	
Assam														
Shillong†														
Gauhati	81	7	7.1	..	3	..	9	3	23	23.5	3	
Dibrugarh†														
Silchar	43	6	7.3	2	1	8	9.6	2	
TOTAL	124	13	5.5	..	3	..	11	4	31	13.0	5	
Bhopal														
Nil														
Bihar														
Arrah	70	7	5.2	2	..	4	3.0	..	
Bihar	68	15	11.5	1	5	3.8	..	
Bettiah	38	32	43.8	1	1	3	4.1	..	
Bhagalpur	126	22	9.1	2	20	8.3	..	
Chapra	69	30	22.6	3	2	10	7.5	..	
Darbhanga	93	42	23.5	1	..	1	..	2	1.1	..	
Dhanbad	41	5	6.3	..	9	9	11.4	..	
Dinapur	44	8	9.5	1	2	5	5.9	..	
Gaya	149	37	12.9	11	1	14	..	44	15.4	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; ‘ N R.’ Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 24th March, 1956—*contd.*

Deaths from :—

Town	Mid-year popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bihar—contd.													
Iazariabagh	39	2	2.7	3	4.0	..
Amalpur	47	9	9.9	—	—	—	1	1	8	8.9	..
Amshedpur	246	119	25.2	1	4	0.9	..
Katihar	51
Longhyr	80	5	3.3	1	1	0.7	..
Auzaffarpur	84	17	10.5	2	1	10	6.2	..
Patna	130	91	14.3	..	6	..	7	1	2	..	44	6.9	..
Burulia	47	8	8.9	2	4	4.4	..
Lanchi	130	17	6.8	8	14	5.6	3
TOTAL	1,752	466	13.8	1	15	..	41	7	20	2	190	5.6	3
Delhi State													
Delhi City	1124	564	26.1	49	9	35	..	161	7.4	49
New Delhi	374	272	37.8	4	2	8	..	105	14.6	23
N.A.C. Civil Station Delhi	117	99	44.0	..	3	..	2	2	5	..	15	6.7	4
Delhi Cantt.	50	19	19.7	1	1.1	..
Delhi-Shahdara	53	36	35.3	2	3	3.0	..
Total	6,718	990	30.0	..	3	..	57	13	48	..	285	8.6	76
Madhya Pradesh													
Nil													
Madras													
Ambur	44	19	22.5	1	2	2	..	6	7.1	4
Aruppukottai	56	36	33.4	1	1	1	..	11	10.2	2
Bodinayakanur	40	22	28.6	1	2	..	6	7.8	1
Cannanore	47	19	21.0	4	..	2	..	15	16.6	4
Chidambaram	39	52	69.3	1	3	..	18	24.0	5
Coimbatore	234	192	42.7	1	6	8	..	60	13.3	20
Cuddalore	74	61	44.1	1	2	2	..	15	10.8	6
Dindigul	90	147	84.9	2	1	2	..	13	7.5	1
Erode	67	65	50.4	1	2	6	2	23	17.9	6
Gobichetty
Palayam	38	21	28.7	2	..	7	9.6	..
Guddiyattam	53	40	39.2	1	2	..	5	4.9	1
Kancheepuram	90	43	24.8	2	16	1	27	16.6	6
Karaikudi	44	28	33.1	1	..	2	..	7	8.3	1
Karur	50	26	27.0	2	2	1	8	8.3	..
Kozhikode †	3	2	1	..	24	11.9	3
Kumbakonam	105	39	19.1
Madras	1,703	1,193	36.4	..	4	..	51	95	148	1	560	17.1	162
Mangalore	136	110	42.1	4	1	7	..	28	10.7	5
Mathurai	427	399	48.6	10	15	40	..	145	17.7	25
Mayuram	49	54	57.3	1	..	18	19.1	2
Melapalayam †
Nagapattinam	60	62	53.7	2	2	1	1	15	13.0	1
Ootacamund	48	27	29.2	4	..	8	8.7	2
Palani	40	7	9.1	1	..	4	..	13	16.9	3
Palayamkottai	45	60	69.3	1	..	8	9.2	..
Palghat	77	56	37.8	2	5	1	29	19.6	4
Periyakulam	34	31	47.4	1	1	2	1	14	21.4	3
Pollachi	51	37	37.7	1	1	1	..	10	10.2	2
Pudukottai	50	58	60.3	2	..	1	..	13	13.5	3
Rajapalayam	69	39	29.4	1	1	..	10	7.5	1
Salem	241	172	37.1	9	7	16	1	70	15.1	8
Srirangam	42	48	59.4	2	..	4	5.0	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 24th March, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—										Total	D.R.*	I.D
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Srivilliputtur . . .	44	19	22.5	2	..	2	1	11	13.0	..	
Tanjore . . .	118	70	30.8	7	1	1	1	28	12.3	2	
Tellicherry . . .	42	40	49.5	2	..	1	1	17	21.0	1	
Tiruchirappalli . . .	251	128	26.5	5	3	5	..	64	13.3	10	
Tirunelveli . . .	80	77	50.1	1	1	6	..	29	18.9	15	
Tiruppur . . .	63	48	39.6	1	3	..	12	9.9	5	
Tiruvannamalai . . .	45	17	19.6	1	..	8	9.2	1	
Tuticorin . . .	111	71	33.3	6	14	..	31	14.5	7	
Vaniyambadi . . .	43	30	36.3	2	..	8	9.7	5	
Vellore . . .	124	113	47.4	1	2	1	..	31	13.0	8	
Villupuram . . .	39	31	41.3	2	..	16	8.0	3	
Virudunagar . . .	53	57	55.9	5	3	2	..	15	14.7	4	
TOTAL . . .	5,156	3,864	39.0	..	4	..	119	165	327	12	1,450	15.5	342	
Orissa														
Berhampur . . .	72	76	55.0	3	2	..	1	12	8.7	2	
Cuttack . . .	117	122	54.4	7	1	5	..	38	17.0	7	
Puri . . .	53	28	27.6	12	1	..	1	25	24.6	4	
TOTAL	242	226	48.6	..	—	..	22	4	5	2	75	16.1	13	
Punjab (I)														
Ambala†														
Amritsar†														
Batala†														
Bhluwani . . .	57	43	39.4	..	1	..	8	..	2	..	14	12.8	4	
Ferozepore . . .	45	20	23.2	2	..	3	..	5	5.8	1	
Hissar . . .	39	21	28.2	1	1	5	6.7	3	
Hoshiarpur . . .	51	36	36.9	2	..	6	6.2	1	
Jullundur . . .	200	134	35.0	9	1	10	..	31	8.1	11	
Karnal . . .	72	23	16.7	2	..	2	..	11	8.0	6	
Ludhiana . . .	176	127	37.7	14	..	3	..	27	8.0	7	
Moga †														
Panipat . . .	64	33	27.0	6	6	4.9	2	
Pathankot†														
Rewari . . .	36	18	26.1	1	..	1	..	3	4.4	1	
Rohtak . . .	105	58	28.9	3	1	7	3.5	2	
Simla . . .	50	27	28.2	—	3	3.1	1	
Sonapat . . .	34	25	38.5	—	3	..	4	—	8	12.3	2	
TOTAL	929	565	31.6	..	1	—	49	3	27	..	126	7.1	41	
Uttar Pradesh														
Agra . . .	375	310	43.2	3	64	..	137	19.1	7	
Allahabad . . .	349	140	21.0	..	1	..	3	1	20	1	51	7.6	1	
Amroha . . .	61	64	54.8	2	2	5	..	20	17.1	5	
Bahraich . . .	47	27	30.0	9	..	1	..	15	16.7	3	
Banaras . . .	383	298	40.7	64	..	20	..	164	22.4	46	
Ballia . . .	35	13	19.4	4	3	11.9	3	
Banda †														
Bareilly†														
Bijnor †														
Budawn . . .	54	31	30.0	2	1	3	..	8	7.7	1	
Basti †														
Bulandshahr †														

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—
evers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—
nfantile Deaths (included in total deaths); — = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 24th March, 1956—*contd.*

Deaths from :—

Town	Mtd.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Chandauli . . .	41	35	44.4	7	..	2	..	14	17.8
Dehra Dun . . .	146	62	22.2	1	1	10	..	32	11.4
Itawah†													
Faizabad-Ayodhya†													
Farrukhabad-Patehgarh . . .	82	43	27.4	6	1	11	..	25	15.9
Perozabad . . .	79	30	19.8	3	..	2	..	5	3.3
Shazabad . . .	46	26	29.5	6	..	1	..	11	12.3
Gazipur . . .	36	20	29.0	2	3	3	..	14	20.3
Gorakhpur . . .	140	122	45.6	9	..	8	..	26	9.7
Gonda . . .	35	14	20.9	1	1	1.5
Hapur . . .	49	28	29.9	5	3	2	1	11	11.7
Hardwar . . .	64	40	32.7	8	1	1	..	20	16.3
Hathras . . .	62	35	29.5	1	..	6	..	12	10.1
Jaunpur . . .	56	36	33.6	3	..	3	..	12	11.2
Jhansi . . .	116	82	37.0	14	1	1	..	22	9.9
Kanpur . . .	734	406	28.9	114	20	43	3	298	21.2
Kasganj . . .	34	12	18.4	1	1.5
Khurja . . .													
Koll-Aligarh . . .	105	118	41.1	6	2	4	..	17	5.9
Lucknow . . .	495	469	49.6	36	11	27	4	101	10.7
Mathura . . .	110	52	24.7	9	..	1	..	17	8.1
Mau Nath Bhaian.†													
Meerut . . .	185	95	26.8	5	1	6	..	17	4.8
Mirzapur . . .													
Vindhyachal . . .	97	44	23.7	1	..	8	2	4	..	23	12.4
Moradabad . . .	164	100	31.9	3	2	8	..	28	8.9
Muzaffarnagar . . .	74	32	22.6	7	..	1	..	10	7.1
Pilibhit . . .	45	28	32.5	3	1	4	4.6
Rampur†													
Saharanpur . . .	162	128	41.3	21	1	3	..	37	11.9
Sambhal . . .	65	50	46.2	2	1	9	..	19	15.3
Shahjahanpur . . .	99	72	29.6	3	12	4.9
Sitapur . . .	49	25	26.5	3	1	6	6.4
TOTAL	4,718	3,087	34.0	..	2	370	67	269	11	1,198	13.2
													324

West Bengal

Asansol†													
Baidyabati†													
Bally . . .	66	6	4.8	1	..	2	1.6
Bankura . . .	50	3	3.1	2	2.1
Bansberia†													
Baranagar . . .	90	45	26.1	1	2	9	5.2
Basirhat . . .	39	8	10.7	1	3	4.0
Berhampur . . .	64	37	30.2	1	6	4.9
Bhadreshwar . . .	34	7	10.8	1	1.5
Bhatpara . . .	143	21	7.7	11	3	6	..	23	8.4
Budge Budge . . .	32	10	16.3	2	..	3	4.9
Burdwan . . .	82	20	12.8	1	8	5.1
Calcutta . . .	2984	1157	20.3	7	9	17	57	117	3	533	9.3
Campdani . . .	41	2	2.6	1	1.3
Cooch Behar . . .													
Darjeeling . . .	38	3	4.1	1	..	1	1.4
English-Bazar . . .	36	2	4.3	1	1	2.8
Garden Reach . . .	124	20	8.4	8	..	2	..	13	5.5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; — Nil information. "N R"—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 24th March, 1956—*contd*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	Deaths from :—						Total	D.R.*	I.D.	
					S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal— <i>contd.</i>														
Halisahar†														
Hoogly-Chinsurah†														
Howrah . . .	477	115	12.6	5	1	..	8	8	24	..	95	10.4	29	
Jalpaiguri†														
Kamarhati†														
Kanchrapara . . .	74
Krishnagar . . .	56	42	39.2	1	9	8.4
Midnapore . . .	45	38	44.2	1	1	..	12	13.9
Nabadwip . . .	70	35	26.1	6	8	18	13.4	21	
Naihati . . .	62	4	3.4	1	..	2	..	7	5.9		
North Barrackpore†														
Panihati†														
Shantipur . . .	49	3	3.2	1	..	1	..	4	4.3
Serampore . . .	83	24	15.1	1	2	1	..	13	8.2	1	
Siliguri†														
South Dum Dum . . .	83
South Suburban . . .	124	41	17.3	1	3	2	..	15	6.3	5	
Titagarh . . .	78	22	14.7	6	1	2	..	11	7.4	2	
TOTAL . . .	5024	1665	17.2	19	10	..	65	80	162	3	790	8.2	193	
Jammu & Kashmir														
"N.R."														
Madhya Bharat														
Greater Gwalior . . .	273	111	21.1	2	7	1.3
Indore . . .	368	228	32.2	16	3	7	1	92	13.0	32	
Ujjain . . .	156	51	17.0	..	5	..	9	2	36	12.0	2	
Ratlam . . .	73	32	22.8	2	1	..	1	10	7.1
Mandsaur . . .	41	15	19.0	1	1	1.3
TOTAL . . .	911	437	24.9	—	5	—	30	6	7	2	146	8.3	34	
Mysore														
Bhadravathi . . .	55	2	1.9	1	0.9
Bangalore . . .	977	442	23.5	8	35	65	..	227	12.1
Mysore . . .	294	146	25.8	14	2	2	..	45	8.0
Kolar Gold Fields†														
Bellary . . .	79	45	29.6	2	..	2	..	11	7.2
Davangere . . .	69	25	18.8	1	1	5	3.8
Hospet . . .	45	20	23.1	2	1	14	16.2
TOTAL . . .	1,519	680	23.3	—	—	..	27	39	69	..	303	10.4
PEPSU														
Patiala City . . .	111	36	16.9	2	2	4	..	28	13.1	18	
Malerkotla . . .	34	22	33.6	4	6	9.2	2	
Bhatinda . . .	39	11	14.7	1	..	1	..	3	4.0	1	
TOTAL . . .	184	69	19.5	7	2	5	..	37	10.5	21	
Rajasthan														
Alwar†														
Bharatpur†														
Bikaner†														

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 24th March, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan—<i>contd.</i>													
Churu . . .	48	8	8.8	1	2	2.2	..
Ganganagar . .	47	2	2.2	..	3	..	2	1	1	..	11	12.1	..
Tonk†													
Kotah . . .	72	12	8.7	1	3	2.2	1
Sikar†													
Jaipur . . .	353	55	8.1	—	—	..	13	7	18	..	66	9.1	25
Udaipur . . .	106	25	12.3	2	2	4	..	15	7.4	1
Jodhpur . . .	200	76	19.8	1	10	4	23	6.4	1
TOTAL	826	178	11.2	1	3	..	29	14	23	..	120	7.6	28
Travancore-Cochin													
Alleppey . . .	148	103	36.2	—	1	1	3	1	34	12.0	5
Changanacherry†													
Ernakulam . .	70	50	30.6	1	17	12.6	1
Kottayam . . .	50	20	22.8
Mattanchery . .	85	48	29.4	15	9.2	2
Nagercoil . . .	94	51	28.2	2	1	..	1	14	7.7	1
Quilon . . .	75	198	68.0	..	—	..	1	—	1	..	3	2.1	..
Trichur . . .	76	112	76.6	1	..	10	6.8	..
Trivandrum City	218	73	17.4	1	1	5	..	35	8.4	..
TOTAL	816	555	35.4	5	4	10	2	128	8.2	9
Saurashtra													
Bhavnagar . . .	157	59	19.5	12	3	9	..	60	19.9	13
Dhoraji . . .	46	21	23.2	3	8	8.8	..
Gondal . . .	41	23	29.2	4	7	8.9	..
Jamnagar . . .	122	41	17.5	—	..	—	5	—	..	—	16	6.8	..
Junagadh . . .	65	33	26.4	9	4	5	..	25	20.0	11
Morvi . . .	43	16	19.3	3	..	2	..	5	6.0	3
Porbandar . . .	64	52	42.2	16	3	1	..	27	21.9	12
Rajkot . . .	167	104	32.4	—	14	4	7	..	56	17.4	19
Surendranagar . .	42	21	26.0	2	1	5	6.2	..
Veraval . . .	46	18	20.3	2	..	4	4.5	1
TOTAL	793	388	25.4	—	68	15	26	..	213	14.0	59
Hyderabad													
"N.R."													
ARREAR RETURNS													
<i>w/e 3-3-56</i>													
West Bengal													
Asansol†													
Baidyabati . . .	33	11	17.4	1	..	6	9.5	1
Bally . . .	66	6	4.8	1	0.8	..
Bankura . . .	50	14	14.6	1	..	8	8.4	..
Bansberia†													
Baranagar . . .	90	43	25.0	1	5	..	17	9.8	4
Basirhat . . .	39	9	12.1	1	1.3	1
Berhampur . . .	64	43	35.1	3	2.5	1
Bhadreshwar . .	34	11	16.9	1	..	2	3.1	1
Bhatpara . . .	143	23	8.4	7	5	19	6.9	11
Budge-Budge . .	32	9	14.7	1	1	1	2	..	5	8.2	..
Burdwan . . .	82	15	9.6	1	..	2	..	11	7.0	..
Calcutta . . .	2,984	1127	19.7	1	2	..	45	38	131	3	599	10.5	154
Chandpur†													
Cooch-Behar†	41	23	29.3	3	3.8	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 24th March, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from:—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
West Bengal—contd.													
Darjeeling	38	4	5.5	4	5.5	..
English-Bazar	36	50	72.6	6	8.7	..
Garden Reach	124	26	11.0	..	I	..	5	I	2	..	15	6.3	2
Halisahar	41	4	5.1	I	1.3	..
Hooghly-Chinsurah	60	68	59.3	2	I	9	7.8	2
Howrah	477	149	16.3	3	6	3	21	..	85	9.3	20
Jalpaiguri	49	17	18.1	I	..	5	5.3	..
Kamarhati†
Kanchrapara	74	25	17.7
Krishnagar	56	I	0.9	..
Midnapur	45	4*	47.6	I	I	14	16.3	..
Nabadwip	70	30	22.4	4	..	I	..	6	4.5	..
Naihati†
North Barrackpore	36	7	10.2	I	..	I	..	3	4.4	..
Panihati†
Shantipur	49	17	18.1	I	..	4	4.3	..
Serampore	83	35	22.0	I	2	2	..	12	7.6	5
Siliguri	44	19	22.6	2	2.4	..
South Dum Dum	83	4	2.5
South Suburban	124	48	20.2	I	2	2	I	..	12	5.1	4
Titagarh	78	19	12.7	12	14	9.4	3
TOTAL	5,225	1899	18.9	6	3	..	87	54	174	4	868	8.6	209
West Bengal													
For w/e 10-3-56													
Asansol†	I	I	..	I	3	4.8	..
Baidyabati	33	15	23.8
Bally	66	4	3.2
Bankura
Bansberia†
Baranagar	90	38	17.4	2	2	5	..	13	7.6	..
Basirhat	39	9	12.1	2	..	3	4.0	..
Berhampur	64	2	..	2	..	6	4.9	..
Bhadreshwar	34	8	12.3
Bhatpara	143	14	5.1	4	2	3	..	20	7.3	8
Budge-Budge	32	I	1.6	I	I	I	..	5	8.2	I
Burdwan	82	26	16.6	I	2	..	9	5.7	..
Calcutta	2,984	1,095	19.2	5	I	..	31	43	120	..	495	8.7	107
Campdani	41	11	14.0	I	..	2	2.6	..
Cooch-Behar†
Darjeeling†
English-Bazar	36	3	4.4	I	1.5	..
Garden Reach	124	14	5.9	2	I	I	..	7	3.0	2
Halisahar	41	I	1.3	I	1.3	..
Hooghly-Chinsurah	60	68	59.3	3	I	5	4.4	2
Howrah	477	143	15.7	10	3	34	..	98	10.7	24
Jalpaiguri†
Kamarhati†
Kanchrapara	74	3	2.1	I	0.7	..
Krishnagar	56	I	0.9	I	..	2	1.9	..
Midnapur	45	27	31.4	4	12	13.9	..
Nabadwip	70	33	24.6	9	6.7	I
Naihati	62	I	..	I	..	4	3.4	..
North Barrackpore	36	7	10.2
Panihati	65	2	1.6
Shantipur	49	18	19.2	I	..	3	3.2	..
Serampore	83	38	23.9	I	3	..	11	6.9	I
Siliguri	44	14	16.6	I	1.2	..
South Dum Dum	83	I	0.6
South Suburban	124	29	12.2	I	I	5	..	14	5.9	7
Titagarh	78	21	14.1	10	I	2	..	14	9.4	I
TOTAL	5,215	1,636	16.3	6	I	..	71	58	184	I	739	7.4	154

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 24th March, 1956—*concl'd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
West Bengal													
For w/e 17-3-56													
Asansol †													
Baidyabati	33	16	25.4	—	—	1	..	4	6.3	2
Bally	66	12	9.5	1	..	3	2.4	..
Bankura†													
Bansberia†													
Baranagar	90	19	11.0	1	2	2	..	18	10.5	11
Basirhat	39	12	16.1	1	2	2.7	..
Berhampur	64	40	33.7	6	4.9	..
Bhadreshwar	34	6	9.2	1	4	..	6	9.2	..
Bhatpara†													
Budge-Budge	32	30	49.0	1	1	..	3	4.9	..
Burdwan	82	8	5.1	3	5	3.2	..
Calcutta	2,984	1122	19.7	3	7	..	31	45	124	6	556	9.7	166
Campdani	41	20	25.5	1	1.3	..
Cooch-Behar †													
Darjeeling	38	20	27.5	4	5.5	..
English Bazar	36	56	81.3	2	2.9	..
Garden Reach	124	14	5.9	2	1	9	3.8	1
Halisahat†													
Hooghly-Chinsurah	60	86	74.9	3	6	5.2	2
Howrah	477	132	14.5	3	1	..	7	7	25	..	97	10.6	29
Jalpaiguri†													
Kamarhati†													
Kanchrapara	74	14	9.9
Rrishnagar	56	87	81.2
Midnapur	45	20	23.2	1	..	1	5	4.8	..
Nabadwip	70	31	23.2	4	1	1	..	9	6.7	..
Naihati	62	1	..	3	..	6	5.1	1
North Barrackpore }	36	3	4.4
Panihati †													
Shantipur	49	23	24.5	3	—	1	..	5	5.3	..
Serampore	83	35	22.0	1	6	3.8	3
Siliguri†													
South Dum Dum	83
South Suburban	124	73	30.8	2	4	..	12	5.1	4
Titagarh	78	26	17.4	9	9	6.0	1
TOTAL	4,960	1,905	20.0	6	8	..	62	65	168	7	774	8.1	222
Assam													
For w/e 17-3-56													
Gauhati	51	4	4.0	3	6	6.1	..
Dibrugarh	46	8	9.0	2	2.3	..
Silchar	43	20	24.1	1	1	2	..	5	6.1	1
TOTAL	140	32	11.9	4	1	2	..	13	4.8	1
Rajasthan													
For w/e 17-3-56													
Jaipur	353	65	9.6	13	4	13	1	65	9.6	11
Alwar	60	9	7.8	1	2	..	4	3.5	..
Bikaner	117	40	17.8	..	5	..	2	2	8	..	24	10.7	2
Churu	48	11	11.9	1	1	1.1	..
Ganganagar	47	2	2	1	..	7	7.7	..
Kotah	72	7	5.1	4	..	2	..	10	7.2	..
TOTAL	697	132	9.8	..	5	..	22	9	26	1	1,11	8.3	13
Bhopal													
For w/e 17-3-56													
Bhopal	116	115	51.6	7	..	5	..	16	7.2	..
Punjab													
For w/e 10-3-56													
Rohtak	105	44	21.9	2	3	2	..	12	6.0	5
Sonepat	34	18	27.7	2	..	1	..	6	9.2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; N.R.—Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 24th March 1956 relate to 199 towns with an estimated population of 26,261 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 63% of the total number of towns representing 63% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 14,156 and 5,487 representing birth and death rates of 28.0 and 10.9 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 161 towns with an estimated population of 21,212 thousands. Information about Bhopal, Bombay and Madhya Pradesh could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 64% of the total number of towns representing 63% of the total population is covered. The number of births

and deaths recorded in these towns were 11,849 and 4,540 representing birth rates and death rates of 29.0 and 11.1 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of the population.

(b) *States (Part B).*—The data here relate to 38 towns with an estimated population of 5,049 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 58% of the total number of towns representing 62% of the total population is covered. The number of births and deaths recorded in these towns were 2,307 and 947 representing birth and death rates of 23.8 and 9.8 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 24-3-1956		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	18.8	6.8	†	†	26.4	15.4
Andhra . . .	35.7	14.7	28.6	15.4	†	†
Bihar . . .	13.8	5.6	15.5	7.5	13.6	7.2
Delhi . . .	30.0	8.6	25.0	7.5	24.2	8.2
Madras . . .	39.0	15.5	39.4	16.6	†	†
Orissa . . .	48.6	16.1	44.9	18.3	38.6	21.5
Punjab (I) . .	31.6	7.1	25.7	6.5	26.1	18.3
Uttar Pradesh .	34.0	13.2	26.8	12.9	27.5	14.7
West Bengal . .	17.2	8.2	17.5	8.9	19.8	12.5
India * . . .	29.0	11.1	30.6	12.9	27.8	14.6

*7 Part 'A' States and 2 Part 'C' States

† Figures not available.

NEW DELHI-2 (INDIA);

The 16th April, 1956

K. MITRA,
for Registrar General, India.